

Status: Currently Official on 16-Feb-2025  
 Official Date: Official as of 01-Aug-2019  
 Document Type: Reagents  
 DocId: GUID-F20A0D2D-A0A7-4F32-9E6B-473F02DC0515\_2\_en-US  
 DOI: [https://doi.org/10.31003/USPNF\\_R3383\\_02\\_01](https://doi.org/10.31003/USPNF_R3383_02_01)  
 DOI Ref: ksf4r

© 2025 USPC  
 Do not distribute

**Change to read:**

## 0.1 N Potassium Arsenite VS

$\text{KAsO}_2$ , 146.02

7.301 g in 1000 mL

▲ (USP 1-Aug-2019)

Dissolve 4.9455 g of [arsenic trioxide](#) primary standard, dried according to the label instructions or, if this information is not available, dried at 105° for 1 h, in 75 mL of [1 N potassium hydroxide](#). Add 40 g of [potassium bicarbonate](#), dissolved in about 200 mL of [water](#), and dilute with [water](#) to 1000.0 mL.

▲ (USP 1-Aug-2019)

**Auxiliary Information** - Please [check for your question in the FAQs](#) before contacting USP.

Topic/Question	Contact	Expert Committee
0.1 N POTASSIUM ARSENITE VS	<a href="#">Margareth R.C. Marques</a> Principal Scientific Liaison	HDQ Headquarters

**Most Recently Appeared In:**

Pharmacopeial Forum: Volume No. PF 44(2)

**Current DocID:** [GUID-F20A0D2D-A0A7-4F32-9E6B-473F02DC0515\\_2\\_en-US](#)

**DOI:** [https://doi.org/10.31003/USPNF\\_R3383\\_02\\_01](https://doi.org/10.31003/USPNF_R3383_02_01)

**DOI ref:** [ksf4r](#)