

Status: Currently Official on 14-Feb-2025
Official Date: Official Prior to 2013
Document Type: Reagents
DocId: GUID-4D573CE6-AC24-40E2-B87C-003D382AFC39_1_en-US
DOI: https://doi.org/10.31003/USPNF_R3163_01_01
DOI Ref: sv73k

© 2025 USPC
Do not distribute

Dragendorff's TS

—Mix 850 mg of bismuth subnitrate with 40 mL of water and 10 mL of glacial acetic acid (*Solution A*). Dissolve 8 g of potassium iodide in 20 mL of water (*Solution B*). Mix equal portions of *Solution A* and *Solution B* to obtain a stock solution, which can be stored for several months in a dark bottle. Mix 10 mL of the stock solution with 20 mL of glacial acetic acid, and dilute with water to make 100 mL.

Auxiliary Information - Please [check for your question in the FAQs](#) before contacting USP.

Topic/Question	Contact	Expert Committee
DRAGENDORFF'S TS	Margareth R.C. Marques Principal Scientific Liaison	HDQ Headquarters

Most Recently Appeared In:

Pharmacopeial Forum: Volume No. Information currently unavailable

Current DocID: GUID-4D573CE6-AC24-40E2-B87C-003D382AFC39_1_en-US

DOI: https://doi.org/10.31003/USPNF_R3163_01_01

DOI ref: [sv73k](#)

OFFICIAL