Status: Currently Official on 14-Feb-2025
Official Date: Official as of 01-May-2018
Document Type: USP Monographs
DocId: GUID-52820740-1FB8-47C6-B6EF-361F98AFCEDA_3_en-US
DOI: https://doi.org/10.31003/USPNF_M11350_03_01
DOI Ref: eel2p

Calcitonin Salmon Injection

DEFINITION

Calcitonin Salmon Injection is a sterile solution of Calcitonin Salmon in a suitable diluent. Each mL of Calcitonin Salmon Injection possesses an activity of NLT 80% and NMT 120% of that stated on the label.

IDENTIFICATION

• **A.** The retention time of the major peak of the *Sample solution* corresponds to that of the *Standard solution*, as obtained in the *Assay*.

ASSAY

• **Procedure**

Solution A: Dissolve 3.26 g of tetramethylammonium hydroxide pentahydrate in 900 mL of water, add 100 mL of acetonitrile, and mix. Adjust with phosphoric acid to a pH of 2.5, pass through a filter of 0.5-µm or finer pore size, and degas.

Solution B: Dissolve 1.45 g of tetramethylammonium hydroxide pentahydrate in 400 mL of water, add 600 mL of acetonitrile, and mix. Adjust with phosphoric acid to a pH of 2.5, pass through a filter of 0.5-µm or finer pore size, and degas.

Mobile phase: See *Table 1*.

Table 1

Time (min)	Solution A (%)	Solution B (%)
0	72	28
30	48	52
32	72	28
55	72	28

System suitability solution: Prepare a solution in *Solution A* containing about 0.2 mg/mL of USP Calcitonin Salmon Related Compound A RS and 0.2 mg/mL of USP Calcitonin Salmon RS. Take 0.1 mL of this solution, add 0.9 mL of *Solution A*, and mix.

Standard stock solution: 1.0 mg/mL of USP Calcitonin Salmon RS in *Solution A*

Standard solution: 0.1 mg/mL of USP Calcitonin Salmon RS from *Standard stock solution* diluted with *Solution A*

Sample solution: Use the solution from an undiluted Injection vial.

Chromatographic system

(See *Chromatography ⟨621⟩, System Suitability*.)

Mode: LC

Detector: UV 220 nm

Column: 4.6-mm × 25-cm; packing L1

Column temperature: 65°

Flow rate: 1 mL/min

Injection volume: 200 µL

System suitability

Sample: *System suitability solution*

[Note—The relative retention times for calcitonin salmon and calcitonin salmon related compound A are 1.0 and 1.15, respectively.]

Suitability requirements

Resolution: NLT 3 between calcitonin salmon and calcitonin salmon related compound A

Tailing factor: NMT 2.5

Relative standard deviation: NMT 3%

Analysis

Samples: *Standard solution* and *Sample solution*

Calculate the potency, in USP Calcitonin Salmon Units/mL, in the portion of Injection taken:

Result = $(r_U/r_S) \times C_S$

r_U = peak area from the *Sample solution*

r_S = peak area from the *Standard solution*

C_S = concentration of USP Calcitonin Salmon RS in the *Standard solution* (USP Calcitonin Salmon Units/mL)

Acceptance criteria: 80%–120%

SPECIFIC TESTS

- **Bacterial Endotoxins Test ⟨85⟩:** NMT 0.625 USP Endotoxin Units/USP Calcitonin Salmon Unit
- **Sterility Tests ⟨71⟩:** Meets the requirements when tested as directed in *Test for Sterility of the Product to Be Examined, Membrane Filtration*
- **Particulate Matter in Injections ⟨788⟩:** Meets the requirements for small-volume injections
- **pH ⟨791⟩:** 3.9–4.5
- **Injections and Implanted Drug Products ⟨1⟩:** Meets the requirements

ADDITIONAL REQUIREMENTS

- **Packaging and Storage:** Preserve in single-dose or multiple-dose containers, preferably of Type I glass. Avoid freezing. Store in a refrigerator.
- **Labeling:** Label it to indicate the activity in USP Calcitonin Salmon Units/mL. The labeling states that the material is synthetic. Label it to state that it is to be stored in a refrigerator, and that freezing is to be avoided.
- **USP Reference Standards ⟨11⟩**

USP Calcitonin Salmon RS

USP Calcitonin Salmon Related Compound A RS

N-Acetyl-cys^1-calcitonin.

$C_{146}H_{243}N_{44}O_{49}S_2$ 3463

Auxiliary Information - Please check for your question in the FAQs before contacting USP.

Topic/Question	Contact	Expert Committee
CALCITONIN SALMON INJECTION	Ying Han Associate Science & Standards Liaison	BIO12020 Biologics Monographs 1 - Peptides

Chromatographic Database Information: Chromatographic Database

Most Recently Appeared In:
Pharmacopeial Forum: Volume No. PF 40(4)

Current DocID: GUID-52820740-1FB8-47C6-B6EF-361F98AFCEDA_3_en-US
Previous DocID: GUID-52820740-1FB8-47C6-B6EF-361F98AFCEDA_1_en-US
DOI: https://doi.org/10.31003/USPNF_M11350_03_01
DOI ref: eel2p