

Status: Currently Official on 14-Feb-2025
Official Date: Official Prior to 2013
Document Type: USP Monographs
DocId: GUID-E6D8960A-D83E-487F-B5C2-DE902418B5D3_1_en-US
DOI: https://doi.org/10.31003/USPNF_M12980_01_01
DOI Ref: n5e7q

© 2025 USPC
Do not distribute

Carbol-Fuchsin Topical Solution

» Prepare Carbol-Fuchsin Topical Solution as follows:

Basic Fuchsin	3 g
Phenol	45 g
Resorcinol	100 g
Acetone	50 mL
Alcohol	100 mL
Purified Water, a sufficient	
quantity, to make	1000 mL

Dissolve the Basic Fuchsin in a mixture of the Acetone and Alcohol, and add to this solution the Phenol and Resorcinol previously dissolved in 725 mL of Purified Water. Then add sufficient Purified Water to make the product measure 1000 mL, and mix.

Packaging and storage—Preserve in tight, light-resistant containers.

SPECIFIC GRAVITY (841): not less than 0.990 and not more than 1.050.

ALCOHOL DETERMINATION (611): between 7.0% and 10.0% of C₂H₅OH.

Auxiliary Information - Please [check for your question in the FAQs](#) before contacting USP.

Topic/Question	Contact	Expert Committee
CARBOL-FUCHSIN TOPICAL SOLUTION	Brian Serumaga Science Program Manager	CMP2020 Compounding 2020

Chromatographic Database Information: [Chromatographic Database](#)

Most Recently Appeared In:

Pharmacopeial Forum: Volume No. Information currently unavailable

Current DocId: GUID-E6D8960A-D83E-487F-B5C2-DE902418B5D3_1_en-US

DOI: https://doi.org/10.31003/USPNF_M12980_01_01

DOI ref: [n5e7q](#)