

Status: Currently Official on 14-Feb-2025
Official Date: Official Prior to 2013
Document Type: Reagents
DocId: GUID-A64FF17D-708D-4900-B580-97296EA0C68E_1_en-US
DOI: https://doi.org/10.31003/USPNF_R3150_01_01
DOI Ref: tt203

© 2025 USPC
Do not distribute

Cupric Tartrate TS, Alkaline (*Fehling's Solution*)

The Copper Solution (A): Dissolve 34.66 g of carefully selected, small crystals of cupric sulfate, showing no trace of efflorescence of adhering moisture, in water to make 500 mL. Store this solution in small, tight containers.

The Alkaline Tartrate Solution (B): Dissolve 173 g of crystallized potassium sodium tartrate and 50 g of sodium hydroxide in water to make 500 mL. Store this solution in small, alkali-resistant containers.

For use, mix exactly equal volumes of *Solutions A* and *B* at the time required.

Auxiliary Information - Please [check for your question in the FAQs](#) before contacting USP.

Topic/Question	Contact	Expert Committee
CUPRIC TARTRATE TS, ALKALINE (FEHLING'S SOLUTION)	Margareth R.C. Marques Principal Scientific Liaison	HDQ Headquarters

Most Recently Appeared In:

Pharmacopeial Forum: Volume No. Information currently unavailable

Current DocId: [GUID-A64FF17D-708D-4900-B580-97296EA0C68E_1_en-US](#)

DOI: https://doi.org/10.31003/USPNF_R3150_01_01

DOI ref: [tt203](#)

