

Status: Currently Official on 14-Feb-2025  
Official Date: Official Prior to 2013  
Document Type: Reagents  
DocId: GUID-C57A6803-08BF-4184-9C6D-F5B8AB54F6F9\_1\_en-US  
DOI: [https://doi.org/10.31003/USPNF\\_R3167\\_01\\_01](https://doi.org/10.31003/USPNF_R3167_01_01)  
DOI Ref: rx8ul

© 2025 USPC  
Do not distribute

## Eriochrome Cyanine TS

—Dissolve 750 mg of eriochrome cyanine R in 200 mL of water, add 25 g of sodium chloride, 25 g of ammonium nitrate, and 2 mL of nitric acid, and dilute with water to 1000 mL.

**Auxiliary Information** - Please [check for your question in the FAQs](#) before contacting USP.

Topic/Question	Contact	Expert Committee
ERIOCHROME CYANINE TS	<a href="#">Margareth R.C. Marques</a> Principal Scientific Liaison	HDQ Headquarters

**Most Recently Appeared In:**

Pharmacopeial Forum: Volume No. Information currently unavailable

**Current DocID:** [GUID-C57A6803-08BF-4184-9C6D-F5B8AB54F6F9\\_1\\_en-US](#)

**DOI:** [https://doi.org/10.31003/USPNF\\_R3167\\_01\\_01](https://doi.org/10.31003/USPNF_R3167_01_01)

**DOI ref:** [rx8ul](#)

OFFICIAL