

Status: Currently Official on 15-Feb-2025
Official Date: Official Prior to 2013
Document Type: Reagents
DocId: GUID-C4729C66-B308-4413-8A6A-A47A12B40704_1_en-US
DOI: https://doi.org/10.31003/USPNF_R3184_01_01
DOI Ref: x5eh2

© 2025 USPC
Do not distribute

Hydroxylamine Hydrochloride TS

—Dissolve 3.5 g of hydroxylamine hydrochloride in 95 mL of 60% alcohol, and add 0.5 mL of bromophenol blue solution (1 in 1000 of alcohol) and 0.5 N alcoholic potassium hydroxide until a greenish tint develops in the solution. Then add 60% alcohol to make 100 mL.

Auxiliary Information - Please [check for your question in the FAQs](#) before contacting USP.

Topic/Question	Contact	Expert Committee
HYDROXYLAMINE HYDROCHLORIDE TS	Margareth R.C. Marques Principal Scientific Liaison	HDQ Headquarters

Most Recently Appeared In:

Pharmacopeial Forum: Volume No. Information currently unavailable

Current DocID: [GUID-C4729C66-B308-4413-8A6A-A47A12B40704_1_en-US](#)

DOI: https://doi.org/10.31003/USPNF_R3184_01_01

DOI ref: [x5eh2](#)

OFFICIAL