

Status: Currently Official on 15-Feb-2025  
Official Date: Official Prior to 2013  
Document Type: Reagents  
DocId: GUID-E64CA147-2A89-47A4-B523-CD387C3113B7\_1\_en-US  
DOI: [https://doi.org/10.31003/USPNF\\_R3199\\_01\\_01](https://doi.org/10.31003/USPNF_R3199_01_01)  
DOI Ref: v2w98

© 2025 USPC  
Do not distribute

## Lead Subacetate TS

—Dissolve 40.0 g of lead acetate in 90 mL of carbon dioxide-free water. Adjust with 10 M sodium hydroxide to a pH of 7.5, centrifuge, and use the clear supernatant. It contains NLT 16.7% (w/w) and NMT 17.4% (w/w) of Pb in a form corresponding to the formula  $C_8H_{14}O_{10}Pb_3$ . The solution remains clear when stored in a well-closed container.

**Auxiliary Information** - Please [check for your question in the FAQs](#) before contacting USP.

Topic/Question	Contact	Expert Committee
LEAD SUBACETATE TS	<a href="#">Margareth R.C. Marques</a> Principal Scientific Liaison	HDQ Headquarters

**Most Recently Appeared In:**

Pharmacopeial Forum: Volume No. PF 35(5)

**Current DocID:** [GUID-E64CA147-2A89-47A4-B523-CD387C3113B7\\_1\\_en-US](#)

**DOI:** [https://doi.org/10.31003/USPNF\\_R3199\\_01\\_01](https://doi.org/10.31003/USPNF_R3199_01_01)

**DOI ref:** [v2w98](#)

OFFICIAL