

Status: Currently Official on 14-Feb-2025
Official Date: Official Prior to 2013
Document Type: Reagents
DocId: GUID-0510BDD3-9B6D-4D3B-B3EE-A78FBF30C61F_1_en-US
DOI: https://doi.org/10.31003/USPNF_R3158_01_01
DOI Ref: wcu35

© 2025 USPC
Do not distribute

p-Dimethylaminobenzaldehyde TS

—Dissolve 125 mg of p-dimethylaminobenzaldehyde in a cooled mixture of 65 mL of sulfuric acid and 35 mL of water, and add 0.05 mL of ferric chloride TS. Use within 7 days.

Auxiliary Information - Please [check for your question in the FAQs](#) before contacting USP.

Topic/Question	Contact	Expert Committee
P-DIMETHYLAMINOBENZALDEHYDE TS	Margareth R.C. Marques Principal Scientific Liaison	HDQ Headquarters

Most Recently Appeared In:

Pharmacopeial Forum: Volume No. Information currently unavailable

Current DocID: [GUID-0510BDD3-9B6D-4D3B-B3EE-A78FBF30C61F_1_en-US](#)

DOI: https://doi.org/10.31003/USPNF_R3158_01_01

DOI ref: [wcu35](#)

OFFICIAL