

Status: Currently Official on 16-Feb-2025  
Official Date: Official Prior to 2013  
Document Type: Reagents  
DocId: GUID-852E2D7B-F858-4B7C-A373-ACC1709D25CA\_1\_en-US  
DOI: [https://doi.org/10.31003/USPNF\\_R3051\\_01\\_01](https://doi.org/10.31003/USPNF_R3051_01_01)  
DOI Ref: 5why4

© 2025 USPC  
Do not distribute

## Quinaldine Red

(5-Dimethylamino-2-styrylethylquinolinium Iodide),  $C_{21}H_{23}IN_2$ —**430.33**—Dark blue-black powder. Sparingly soluble in water; freely soluble in alcohol. Melts at about 260°, with decomposition. Transition interval: from pH 1.4 to 3.2. Color change: from colorless to red.

**Auxiliary Information** - Please [check for your question in the FAQs](#) before contacting USP.

| Topic/Question | Contact  | Expert Committee |
|----------------|--|------------------|
| QUINALDINE RED | <a href="#">Margareth R.C. Marques</a><br>Principal Scientific Liaison | HDQ Headquarters |

**Most Recently Appeared In:**

Pharmacopeial Forum: Volume No. Information currently unavailable

**Current DocId:** [GUID-852E2D7B-F858-4B7C-A373-ACC1709D25CA\\_1\\_en-US](#)

**DOI:** [https://doi.org/10.31003/USPNF\\_R3051\\_01\\_01](https://doi.org/10.31003/USPNF_R3051_01_01)

**DOI ref:** [5why4](#)

OFFICIAL