

Status: Currently Official on 16-Feb-2025  
Official Date: Official Prior to 2013  
Document Type: Reagents  
DocId: GUID-532F561B-3957-45BE-805F-BA2BBBB4517D\_1\_en-US  
DOI: [https://doi.org/10.31003/USPNF\\_R3280\\_01\\_01](https://doi.org/10.31003/USPNF_R3280_01_01)  
DOI Ref: cz4r0

© 2025 USPC  
Do not distribute

## Quinone TS

—Dissolve 500 mg of *p*-benzoquinone in 2.5 mL of glacial acetic acid, and dilute with alcohol to 50 mL. Prepare this solution fresh daily.

**Auxiliary Information** - Please [check for your question in the FAQs](#) before contacting USP.

Topic/Question	Contact	Expert Committee
QUINONE TS	<a href="#">Margareth R.C. Marques</a> Principal Scientific Liaison	HDQ Headquarters

**Most Recently Appeared In:**

Pharmacopeial Forum: Volume No. Information currently unavailable

**Current DocID:** [GUID-532F561B-3957-45BE-805F-BA2BBBB4517D\\_1\\_en-US](#)

**DOI:** [https://doi.org/10.31003/USPNF\\_R3280\\_01\\_01](https://doi.org/10.31003/USPNF_R3280_01_01)

**DOI ref:** [cz4r0](#)

OFFICIAL