

Status: Currently Official on 16-Feb-2025  
Official Date: Official Prior to 2013  
Document Type: Reagents  
DocId: GUID-56B6DBC1-DF74-4D28-8FD8-1EC8974DD17F\_1\_en-US  
DOI: [https://doi.org/10.31003/USPNF\\_R1544\\_01\\_01](https://doi.org/10.31003/USPNF_R1544_01_01)  
DOI Ref: b8o3b

© 2025 USPC  
Do not distribute

## Tetrahydrofuran, Peroxide-Free,

$C_4H_8O$  **72.11**—Use ACS reagent grade.

**Peroxide:** Transfer 8 mL of potassium iodide and starch TS to a 12-mL ground glass-stoppered cylinder about 15 mm in diameter. Fill completely with the substance under test, mix, and allow to stand protected from light for 5 minutes. No color develops.

**Auxiliary Information** - Please [check for your question in the FAQs](#) before contacting USP.

Topic/Question	Contact	Expert Committee
TETRAHYDROFURAN, PEROXIDE-FREE	<a href="#">Margareth R.C. Marques</a> Principal Scientific Liaison	HDQ Headquarters

**Most Recently Appeared In:**

Pharmacopeial Forum: Volume No. Information currently unavailable

**Current DocID:** [GUID-56B6DBC1-DF74-4D28-8FD8-1EC8974DD17F\\_1\\_en-US](#)

**DOI:** [https://doi.org/10.31003/USPNF\\_R1544\\_01\\_01](https://doi.org/10.31003/USPNF_R1544_01_01)

**DOI ref:** [b8o3b](#)

OFFICIAL