



Xịt chống sâu răng
MIDKID
CHĂM SÓC VÀ BẢO VỆ RĂNG CHẮC KHỎE

TrungTamThuoc.com

Thành phần: Mỗi lọ có chứa:

Ovopron DC (Kháng thể IgY nguồn gốc từ Nhật Bản); Chiết xuất trà xanh (giàu Polyphenol và EGCG), Xylitol, Tinh dầu hương nhu tía, Acid hyaluronic, Natri florua, Sorbitol 70%, PG, Tween 80, Kali sorbat, Natri benzoat, Natri saccharin, Acid citric monohydrat, Hương nho, Nước tinh khiết.

(*Thành phần Ovopron DC được bào chế từ lòng đỏ trứng gà, an toàn cho cả trẻ em, phụ nữ có thai hoặc đang cho con bú. Nhập khẩu từ Nhật Bản*)

Công dụng:

- Giúp làm sạch khoang miệng, bảo vệ men răng, ngăn ngừa ố vàng răng.
- Ức chế, không tạo điều kiện cho vi khuẩn hình thành acid trong khoang miệng sau bữa ăn, trung hòa acid dư thừa do thức ăn trong miệng, ngăn chặn mảng bám chứa vi khuẩn gây sâu răng, sún răng, hà răng, viêm lợi.
- Chống lại kháng nguyên glucosyltransfease của vi khuẩn *S.mutans*, ức chế sự hình thành và tăng trưởng của vi khuẩn *S.mutans*, ức chế sự bám dính của vi khuẩn *S.mutans* vào bề mặt răng, ức chế sự hình thành glucan bởi vi khuẩn *S.mutans*, phòng ngừa và hỗ trợ điều trị sâu răng, chống viêm sau khi nhổ răng.
- Cung cấp Flour giúp phục hồi tổn thương răng trong giai đoạn đầu, bảo vệ men răng giảm tính hòa tan với acid, giảm ê buốt răng.
- Cung cấp các dưỡng chất giúp giảm viêm lợi, nhanh làm lành vết thương, tổn thương tại khoang miệng, giúp lợi chắc khỏe.

Đối tượng sử dụng:

Trẻ em từ 12 tháng tuổi trở lên.

Cách dùng:



Bước 1: Mở nắp nhựa trắng bảo vệ đầu xịt ở ngoài cùng vòi xịt
Bước 2: Đưa vào miệng/răng để xịt vào toàn bộ bề mặt răng. Có thể dùng gạc hoặc lưỡi chà cho dung dịch phủ đều lên bề mặt răng

Bước 3: Vệ sinh sạch vòi xịt/đầu xịt và nắp lại nắp nhựa như ban đầu để bảo quản cho lần sử dụng tiếp theo

Liều dùng

Nên sử dụng hằng ngày sau khi ăn và sau khi đánh răng, xịt vào miệng bé 2-4 nhát/lần.

Lưu ý: bé nuốt phải cũng không ảnh hưởng tới sức khỏe.

Bảo quản: Nơi khô ráo, thoáng mát, tránh ánh sáng.

Sử dụng trong vòng 3 tháng sau khi mở nắp

Tiêu chuẩn: TCCS

Lắc kỹ lọ trước khi sử dụng

Để xa tầm tay trẻ em.

Số lô SX:

Ngày SX:

Hạn sử dụng:

Số lưu hành TTBYT:

Chủ sở hữu số lưu hành TTBYT:

CÔNG TY CỔ PHẦN DƯỢC PHẨM MID

Địa chỉ: Số 803B Huyền Kỳ, tổ dân phố 9, đường Phú Lãm, Quận Hà Đông, Hà Nội

Điện thoại : 0972200946

Email : Duocphammid@gmail.com

Sản xuất bởi: **Công ty Cổ phần Dược Khoa**

Trụ sở chính: Số 9 Nguyễn Công Trứ, Phạm Đình Hổ, Hai Bà Trưng, Hà Nội

Địa điểm SX: Nhà máy Dược phẩm DKPHARMA – Chi nhánh Bắc Ninh Công ty Cổ phần Dược Khoa: Lô III-1.3, đường D3, KCN Quế Võ II, xã Ngọc Xá, huyện Quế Võ, tỉnh Bắc Ninh, Việt Nam.

Oral Spray anti-caries

MIDKID

CARE AND PROTECTION FOR HEALTHY TEETH



TrungTamThuoc.com

COMPOSITION: Each bottle contains:

Ovopron DC (immunoglobulin (IgY) antibody imported from Japan), natural green tea extract (rich polyphenols and EGCG), Xylitol, Ocimum tenuiflorum oil, Acid hyaluronic, Sodium fluoride, Sorbitol 70%, PG, Tween 80, Potassium sorbate, Sodium benzoate, Sodium saccharin, Acid citric monohydrate, Grape flavor, Purified water.

(Ingredients Ovopron DC is formulated from egg yolks, safe for children, pregnant or lactating women. Imported from Japan)

USES:

Helps clean the oral cavity, protect the enamel, prevent yellowed teeth.

Inhibit, do not create conditions for bacteria to form acid in the oral cavity after meals, neutralize excess acid due to food in the mouth, prevent plaque containing bacteria that cause tooth decay, tooth wear, gingivitis.

Against glucosyltransfase antigens of S.mutans bacteria, inhibits the formation and growth of S.mutans bacteria, inhibits adhesion of S.mutans bacteria to tooth surface, inhibits glucan formation by S.mutans bacteria, prevent and support tooth decay treatment, anti-inflammatory after tooth extraction.

Providing Fluor helps to restore tooth damage in the early stages, enamel reduces the solubility with acids, reduces tooth sensitivity. Provide nutrients to help reduce gingivitis, quickly heal wounds and lesions in the oral cavity, help keep gums healthy.

USE FOR:

Children over 12 months

METHOD OF ADMINISTRATION



Step 1: Open the with plastic cap protecting the sprayser on the outside of the nozzle

Step 2: Put into your mouth/teeth to spray onto the entire tooth surface. You can use a gauze pad or a scrub blade for the solution to evenly coat the tooth surface.

Step 3: Clean the spray head and re-cap the plastic cap as before to store for the next use

DOSAGE

Should be used daily addter eating and addter brushing teeth, spray in the baby's mouth 2-4 sprays/time

Note: swallowed with not affect health

STORAGE:

Store in a cool, dry place, protect from light

Shelf life: Use within 30 days after the first opening the cap.

Standard: Inhouse

Shake the bottle well before use

Keep out of reach of children

Package: Box of 1 bottle 30ml of spray solution.

Visa number:

ANNOUNCED AND RESPONSIBLE:

MID PHARMACEUTICAL JOINT STOCK COMPANY

Address: 803B HuyenKy, quarter 9, Phu Lam Street, Ha Dong district, Hanoi city, Vietnam

Tel : 097 2200 946 // Email : Duocphammid@gmail.com

Manufactured in: DUOC KHOA PHARMACEUTICAL JOINT STOCK COMPANY

Head office: No 9 Nguyen Cong Tru St., Pham Dinh Ho, Hai Ba Trung Dist., Hanoi, Vietnam.

Manufacturing address: DKPharma Pharmaceutical Factory – Bac Ninh branch of Duoc Khoa Joint Stock Company: Lot No.III-1.3, D3 Street, Que Vo II Industrial park, Ngoc Xa commune, Que Vo District, Bac Ninh Province.