

Status: Currently Official on 17-Feb-2025
Official Date: Official as of 01-Dec-2023
Document Type: Reagents
DocId: GUID-C1540CC7-8F6B-40C3-8D2F-6BB7C2079786_2_en-US
DOI: https://doi.org/10.31003/USPNF_R1635_02_01
DOI Ref: 61uxn

© 2025 USPC
Do not distribute

Change to read:

Water, Deaerated

—▲ (USP 1-Dec-2023) It is [Purified Water](#) that has been treated to reduce the content of dissolved ▲gases▲ (USP 1-Dec-2023) by suitable means, such as▲, but not restricted to,▲ (USP 1-Dec-2023) by boiling vigorously for 5 min and cooling or by application of ultrasonic vibration.

▲**Dissolution medium:** Where deaerated water is used as dissolution medium, it is recommended to deaerate it using the procedure described under *Dissolution Medium* in [Dissolution \(711\)](#). Other deaeration procedures may be used with appropriate validation. [NOTE—See Degenhardt et. al. Comparison of effectiveness of various deaeration techniques. Dissol. Technol. 2004;11(1):6–11. [dx.doi.org/10.14227/DT110104P6](https://doi.org/10.14227/DT110104P6).]▲ (USP 1-Dec-2023)

Auxiliary Information - Please [check for your question in the FAQs](#) before contacting USP.

Topic/Question	Contact	Expert Committee
WATER, DEAERATED	Margareth R.C. Marques Principal Scientific Liaison	HDQ Headquarters

Most Recently Appeared In:
Pharmacopeial Forum: Volume No. 48(4)

Current DocID: [GUID-C1540CC7-8F6B-40C3-8D2F-6BB7C2079786_2_en-US](#)

DOI: https://doi.org/10.31003/USPNF_R1635_02_01

DOI ref: [61uxn](#)

